## ANNEXURE - X DETAILS OF TECHNICAL AND OTHER STAFF OF AN AYURVEDIC COLLEGE

YEAR 2023-24

Faculty: Ayurved

Name of College: Late Kedari Redekar Ayurvedic Mahavidyalaya, Gadhinglaj. College Code: 3211 Intake Capacity: UG-100/ PG-51

Sr. No	Department	Post	Requireme nt	Details on College Website	Adequate Inadequa e
Ĩ		Librarian	One	Yes	Adequate
	Library	Assistant Librarian	One	Yes	Adequate
	0.00	Library Attendant or Peon	One	Yes	Adequate
2	College Office	Clerical staff for administrative and accounts services	Four	Yes	Adequate
3	Samhita and Siddhanta	Attendant	One	Yes	Adequate
4	Rachana Sharir	Laboratory Technician	One	Yes	Adequate
		Museum Keeper	One	Yes	Adequate
		Lifter	One	Yes	Adequate
5	Kriya Sharir	Laboratory Technician	One	Yes	Adequate
6	Dravyaguna	Laboratory Technician	One	Yes	Adequate
		Museum Keeper	One	Yes	Adequate
7	Rasa Shastra	Laboratory Technician	One	Yes	Adequate
		Laboratory Assistant	One	Yes	Adequate
8	Roga Nidan evam Vikriti Vigyan	Laboratory Technician	Two	Yes	Adequate
9	Swasthavritta and Yoga	Museum Keeper Attendant	One One	Yes	Adequate
				Yes	Adequate
10	Agad Tantra evam Vidhi Vaidyaka			Yes	Adequate
	Prasuti Tantra and Stri Roga			Yes	Adequate
12 I	Kayachikitsa			Yes	Adequate
13 5	Shalya ·	Attendant	Two	Yes	Adequate
_	Shalakya	Mondant		Yes	Adequate
_	Panchkarma	f		Yes	Adequate
16	Kaumarbhritya Balroga)			Yes	Adequate
17   H	erbal Garden	Gardener	One	Yes	Adequate
1	Terbai Garden	Multipurpose worker	Two	Yes	Adequate
Т	Total -	Т	wenty-five	77	-

PRINCIPAL

Late Kedari Redekar Ayurvedic Mahavidyalaya, P.G. Training and Research Institute, Gadhinglaj

## Minimum (Additional) Requirement for Post-graduate Institutions where Under-graduate course is in existence:

Sr.N	o Post	Particulars	Details on College	Adequate/
(i) In e	each of the denartme	nt of Dook	Website	Inadequate
	ach of the departme	in of Rachana Sha	rıra, Kriya Sharira	a, Dravyaguna,
(i)	technician	1 (one)	Yes	Adequate
(ii)	Laboratory assistant	l (one)	Yes	Adequate
(iii)	Attendant or Peon or Multipurpose worker	1 (one)	Yes	Adequate
raduat	Additional Ancillarian, Microbiologist e degree in the subject University.)			
1.1	Biochemist	1 (one)	V. I	
(i)		I (OHE)	I res i	Adaquata
(ii)	Pharmacologist	1 (one)	Yes	Adequate
(ii)		390000 TM	Yes Yes	Adequate  Adequate  Adequate

Dean/ Principal Stamp & Signature
Late Kedan Redemp & Signature
Mahavidyalaya, P.G. Training and
Research Institute, Gadhinglaj

Adequate