

Schedule –IV (FOR PG)

Minimum requirements for animal house and animal experimentation laboratory

Serial Number	Facility and equipment	Available / Not Available / MOU	Deficiency
1.	Safety and Toxicity studies facility	MOU	
2.	Behavioral and Neuro pharmacological studies facility		
3.	Anti-convulsive studies facility		
4.	Anti-inflammatory and Analgesic studies facility		
5.	Anti-asthmatic, Anti-allergic and Anti-histamine studies facility		
6.	Immuno-modulatory study facility		
7.	Wound healing studies facility		
8.	Antidiabetes studies facility		
9.	Antiobesity studies facility		
10.	Antipyretic studies facility		
11.	Assay with Organ/Tissue bath		
12.	Organ Protective studies (Cardioprotective, Hepatoprotective, Nephroprotective etc.) facility		
13.	Digital Electro convunsimeter		
14.	Metobolic cages (as required)		
15.	Histamine Chamber		
16.	Digital rotarod with software		
17.	Digital Actimeter with software (Activity cage)		
18.	Plethysmograph		

Shivani Gaware

PRINCIPAL
Late Kedari Redekar Ayurvedic
Mahavidyalaya, P.G. Training and
Research Institute, Gadhinglaj

Signature of Member

Signature of Member

Signature of Chairman